



HIGH PERFORMANCE

# POLYPROPYLENE NONWOVEN

## ISOTROPIC

The unique technology of Soft NW production lines, manufacture the fabric with ISOTROPIC characteristics, therefore with high tensile strength both in machine and cross directions.

Soft polypropylene nonwoven, thanks to its isotropic features is appreciated and used in multiple applications.

### THE MAIN REFERENCE **SECTORS ARE:**



**ROOFING AND BUILDING MATERIALS** 



**FILTRATION** 



MEDICAL AND HYGIENE



**SPORTSWEAR** AND PROTECTIVE **CLOTHING** 



FURNITURE, MATTRESSES AND BEDDING



PACKAGING, PROMOTIONALS AND HO.RE.CA.



AUTOMOTIVE

## **IDEAL FOR FOLLOWING PROCESSING** AND APPLICATIONS, SUCH AS:



LAMINATION



SPREADING



PRINTING






STITCHING



# PROPERTIES AND FEATURES



- Nonwoven weight: from 12 up to 150 g/m<sup>2</sup>
- High mechanical MD properties
- Excellent weight distribution
- Suitable for treatments and additives for special applications (hydrophilicity, anti UV, flame retardant, etc.)
- Excellent transpiration
- Water-repellent
- Temperature resistance: from -40° up to +80° C
- Protection against frost and excessive temperature variations
- Roll length and width: upon request
- Eco-compatible and recyclable



#### **COLOURS RANGE:**

Nonwovens are available in a standard color range but we can develop and customize any desired color on request.



#### SOFT NW S.r.l.

Tel +39 015 882200 - Fax +30 015 882135

softnw@softnw.com - www.softnw.com

Via Piave, 5 - 13854 Quaregna Cerreto (BI) - Italy

C.F. 12952980154 - P.IVA 01984800027

